

POWER-PACKED
RELIABLE
NETWORK SCANNER



Dedicated network scanner

The Canon imageFORMULA ScanFront 400 is the ultimate network scanner helping to streamline document workflows. The simple interface allows quick and easy scanning to email, network folders, FTP, USB memory, fax, or printers directly from the scanner's bright and responsive 10.1" (25.7 cm) TFT touchscreen – no additional hardware of software is required.

Ideal for every business

Its desk-friendly size, elegant design and quiet operation make it well-suited for both back office use and customer-facing counter tops in retail, banking, healthcare and the legal profession. Small businesses can benefit from documents being quickly digitalised and saved to a central database. A network of ScanFront 400 scanners can be integrated into existing infrastructure of large corporations allowing for decentralised scanning.

ScanFront 400

B&W AND COLOUR SPEED 45 PPM / 90 IPM

SUGGESTED DAILY
VOLUME
6,000

AUTOMATIC DOCUMENT FEEDER 85 SHEETS

10.1"
TOUCHSCREEN



POWERFUL DEDICATED NETWORK SCANNER

Boost productivity

Scan more documents with high-speed scanning at 45 pages per minute, plus a large 85-sheet ADF. Canon's tried and tested document feeding mechanism and durable build quality, rated for up to 6,000 scans per day, ensure unparalleled reliability. Ultra-sonic sensors instantly detect double feeds, while the Double Feed Release (DFR) function enables easy scanning of envelopes and folded documents.

Wide range of media


Make light work of scanning all kinds of documents, from A4, A5, and business cards to long document rolls (up to 3 metres) and even plastic cards, passports and A3 documents (in folio mode) – ideal for HR departments, hotels and banks. The device automatically detects paper size and adjusts as required.

Customisation and integration

The ScanFront 400's
Linux-based OS brings the
power and flexibility to
integrate with your document
workflow. Create and send
customised metadata
index files with every scan,
allowing for easy document
classification into back office
systems. System integrators
can use the web app Software
Development Kit to integrate
their own customisations or
design bespoke applications
for the scanner.








ADVANCED SECURITY AND USER MANAGEMENT FEATURES

ScanFront Administration Tool



Administration tool software allows you to manage multiple ScanFront scanners at a time. You can check the current status of the ScanFront scanners on the network, configure settings, manage users, back-up and restore configuration data.

Secure operation

Security comes as standard: options include password log in, auto logout and request for address confirmation before sending. Frequent scan settings and destinations can be



saved as job buttons and assigned to specific users, allowing simple and secure one-touch operation with fewer human errors. Administrators can remotely manage registered users and update firmware or software on multiple devices simultaneously – reducing IT costs.

- Device security: only authorised users can access the device, using ID and password authentication, which can be controlled using your active directory login or LDAP directory. An automatic logout gives additional protection against access to the device by unauthorised users
- **User security:** user permissions can be set individually, ensuring that users can only access the appropriate or necessary scanning options and features
- Document security: scanned documents, such as confidential files, can be sent with PDF encryption and password protection, so you can control access for viewing, editing and printing. Additionally, no copy of the scanned documents are stored on the device.

RAPID, RELIABLE SCANNING AND COMPACT DESIGN





TECHNICAL SPECIFICATIONS

GENERAL PRODUCT INFORMATION

Type Scanning sensor unit **Optical Resolution Light Source**

Scanning side Interface

Operation Panel Paper separation Daily duty cycle

SCANNING SPECIFICATIONS Black and White Speed Colour Speed Scanning resolution

Scanning modes

Scanning features

DOCUMENT

File output

Paper

SPECIFICATIONS

Business card

Passport

Card

Feeder capacity

ADF Network Document Scanner CMOS CIS 1 Line Sensor (x2) 600 dpi

RGB LED Simplex / Duplex

LAN: 10Base-T / 100Base-T X / 1000Base-T (RJ-45 connector) 3x USB 2.0 (for USB Memory, Keyboard, Mouse, etc.)

10.1" (TFT-LCD Touch Panel (WSGVA 1024 x 600) Retard Roller

Approx. 6,000 scans/day

45 ppm / 90 ipm 45 ppm / 90 ipm

100 x 100 dpi / 150 x 150 dpi / 200 x 200 dpi / 300 x 300 dpi / 400 x 400 dpi / 600 x 600 dpi Black and White, Error Diffusion, Text Enhancement, 256-level Grayscale, 24-bit Colour, Auto Colour Detection

Ultrasonic double feed detection, Double feed retry / release, Deskew, Folio Mode, Long document scanning, Skip Blank Page, Automatic document orientation, Background smoothing, Bleed-through reduction Remove shadow, Colour drop-out / enhancement TIFF, JPEG, PNG, PDF, PDF/A

Width: 50 - 216 mm

Length: 54 - 356 mm (3,048 mm in Long Document

Thickness (separation ON): 27 - 209 g/m² (0.04 - 0.25

Thickness (separation OFF): 27 - 255 g/m² (0.04 -

0.30 mm) Size: 50 x 85 mm

Thickness: up to 380g/m2 (0.35 mm)

Size: 54 x 86 mm (ISO Standard)

Horizontal feeding only, max, 10 cards or 1 embossed Use optional passport carrier sheet

Thickness: up to 6 mm (including carrier sheet)

85 sheets

NETWORK FEATURES

Admin Tool.

Scanning destinations Scan to Shared Folder Scan to E-mail

Scan to ETP Scan to FAX (via Internet fax service) Scan to Printer (FTP printing)

Protocols TCP/IP (IPv4), DNS, DHCP, SMB, NTP, HTTP, FTP,

restore multiple devices through a simple web browser or perform simultaneous updates using the ScanFront

IP address Obtained automatically (DHCP supported) or fixed **Directory support**

SOFTWARE **Software Tools** ScanFront Administration Tool Web Application Toolkit (SDK)[1]

PHYSICAL FEATURES Dimensions (WxDxH)

Power requirements

Power consumption Operating environment

Environmental compliance

> CONSUMABLES AND ACCESSORIES Consumables

Scan to USB Memory

SFTP, Secure sending (FTPS and SMTPS), WebDAV, LDAPS

Active Directory (NTLM authentication) OpenLDAP (simple authentication)

Trays closed: 305 × 282 × 230 mm Trays opened: 305 × 629 × 366 mm

Approx. 4.5 kg AC100-240V (50/60Hz) Scanning: 40W or less Sleep Mode: 2.0W or less Power Turned Off: 0.5W or less

Temperature: 10 - 32.5°C Humidity: 20 - 80% RH RoHS

Exchange Roller Kit (feed roller and retard roller), Carrier Sheet (Passport), Carrier Sheet (A4)

Footnotes

[1] Available through Canon Business Solutions Developer Programme www.canon-europe.com/bsdp

All data is based on Canon standard testing methods except where indicated. Subject to change without notice.

Visit the Canon website for more information.

Software Developer Kit (SDK)

Software developer kits and tools are available through the Canon Developer Programme To register for the programme:

- Please visit the registration page https://developers.canon-europe.com/developers/s/login/ SelfRegister
- If you experience any issues signing up please contact CDP admin at cdp-admin@canon-europe.com

SDK available



Canon Electronics Inc. canon-elec.co.jp Canon Europe

canon-europe.com **Enalish** edition © Canon Europa N.V.,2022

